Agenda Item No._

File Code No. 530.04



CITY OF SANTA BARBARA

COUNCIL AGENDA REPORT

AGENDA DATE: February 10, 2009

TO: Mayor and Councilmembers

FROM: Transportation Division, Public Works

SUBJECT: State And De La Vina Intersection Reconfiguration Project

RECOMMENDATION: That Council:

A. Direct Staff to continue with the Transportation and Circulation Committee's (TCC) recommended concept for the State and De La Vina Intersection Reconfiguration Project;

- B. Approve the final design elements for the Project as presented to the Architectural Board of Review (ABR) on May 8, 2008; and
- C. Authorize an increase in MNS Engineering's contract in the amount of \$20,000 to complete the Project design.

EXECUTIVE SUMMARY:

Council's direction is sought on whether to proceed with the Project. A history of the Project is presented below, including the project development background, design history, and alternatives considered. TCC recommendations are also provided.

DISCUSSION:

Background

The Project was first discussed during the 2003-2004 Oak Park Neighborhood Traffic Management Program (NTMP) process as a potential means of addressing neighborhood concerns regarding the intersections of De La Vina Street at both State Street and Samarkand Drive. The participants of this neighborhood outreach process (Participants) identified this general area as one of top ten priorities because of the difficulties in access and egress from Samarkand Drive and the immediately adjacent commercial area, and because of the potential for bicycle or pedestrian conflicts with vehicles on State Street at De La Vina.

The Core Group of the NTMP (Core Group), a group of Oak Park residents who volunteered to work with Staff, reviewed alternatives and recommended that a change

to this intersection be funded as a Capital Improvement Project. The size of the proposed Project placed it outside the scope of funding available for Oak Park NTMP improvements. Staff indicated that alternative funds would be sought to improve this intersection. For these reasons, it was agreed that this Project would not be part of the neighborhood ballot used to determine use of Oak Park NTMP funded improvements. This Project was also identified in Section V of the Upper State Street Study (2007) "to modify the intersection as planned to remove the eastbound free-right turn and provide positive signal control for all crosswalks at the intersection."

In November 2005, Council authorized this Project as one of five intersections identified for funding through Traffic Congestion Relief Program (TCRP) grant funds. This Project was approved by the California Transportation Commission and the Regional Transportation Planning Agency as an appropriate candidate for the use of TCRP grant funds in September 2006. The TCC found a concept design for this Project to be consistent with the Circulation Element on November 8, 2007, and reconfirmed its finding on December 11, 2008.

The Project's components include traffic signal modifications, access ramps, crosswalk striping, and replacement of the right turn lane with landscape.

Issue Identification

At one time, Hollister Road and De La Vina connected as one continuous road at this location. It was not until 1951 that State Street was extended from Constance to Hollister, and Hollister was renamed State Street. The curb edge of the large radius was left in place presumably because it provided for economical construction of the new intersection. At the time of the intersection's construction, the land use adjacent to the turn was automobile oriented. However, today this entrance serves as the gateway to the Upper De La Vina Commercial District where multiple commercial areas serve residents using all modes to access a coffee shop, Mackenzie Park, restaurants, and Trader Joe's.

The current configuration of the intersection is vehicle oriented and places pedestrian and bicycle movements at a secondary level of comfort and safety. Some of the issues identified by the participants at this particular intersection include: inconvenient and uncomfortable pedestrian crossings (190 feet with two refuges across De La Vina, and 125 feet with one refuge across State Street); stopping distance that is less than typical at a conventional intersection; 85th percentile speeds between 31 and 35 miles per hour through the turn; bicycle weaving across the free-right turn lane with atypical yielding in order to continue on State Street; and poor aesthetics. In the last 5 years, 7 collisions have been reported near the Trader Joe's parking lot where maneuverability and visibility are limited. Collision data does not indicate a problem at this location, however, Staff, Engineering Consultants, and Police Department representatives see potential pedestrian and bicycle safety issues at this location, consistent with the concerns raised with Oak Park NTMP processes. Lack of funding has prevented this issue from being

addressed in the past, but with the available grant funds, there is an opportunity to address the potential pedestrian and bicycle safety issues now.

In order to address the identified issues, a plan was developed that would balance the functionality for all users. The elimination of a free-right turn lane is a recommended practice in modern intersection design to improve pedestrian access. With this proposal, all right turning traffic would turn at the signal, consistent with typical signalized intersections in the City.

Project Design History

The merits of the current design have been the subject of considerable community debate.

Design commenced on the Project in spring 2007. The Parks and Recreation Commission reviewed and approved tree removal and replacements necessary for the Project to move forward in February 2008. The Project has been before the ABR twice (November 2007 and May 2008), but has failed to gain support. The ABR and members of the community asked that other alternatives to the removal of the free-right turn lane be considered. While there was significant concern expressed by the Board regarding the proposed Project and the removal of the median and right turn lane, the landscaping, as presented should the island be removed, was deemed satisfactory by the ABR.

Staff reassessed the alternatives brought forward previously to the TCC and ABR, as well as other alternatives not previously considered. In addition to the proposal created and supported by the Core Group to remove the free-right turn, three alternative concepts emerged: a proposal that removes the free right-turn while maintaining an island; a proposal that retains the free-right turn lane while reducing its width; and a proposal that builds on the narrowing of the free-right turn concept by adding on the closure of the northbound right turn lane and/or curb extensions and a median on De La Vina Street. It should be noted that a roundabout option was considered as well, but dismissed because of right-of-way concerns.

The three design concepts were described in detail at the December 11, 2008, TCC meeting. The purpose of the meeting was to allow TCC members to provide feedback on the various concepts and to provide advice to Council as to which option was preferred, based on its consistency with the Circulation Element. The operational elements and merits of each option were described (Attachment 1) as was an evaluation matrix (Attachment 2), used to help identify the policy application for decision-making purposes.

Staff concluded that each of the alternatives described to the TCC could provide some pedestrian and bicycle benefits. However, no proposal that maintains the free-right turn could be considered to provide equality of convenience, comfort, and safety for all

modes because of the disadvantage to pedestrians. Therefore, it was the recommendation of Staff that the proposal to remove the free right turn to create a standard intersection best meets the policies of the Circulation Element.

The design concept ultimately supported by the TCC at its December 11, 2008, meeting was the proposal to remove the free right turn and create an additional landscape area in the altered space. The TCC approved the following motion: "That the TCC reaffirms its support for the original option of November 8, 2007: Removing the free-right turn."

Additionally, the TCC made recommendations about specific design elements emphasizing the possibility to improve pedestrian access at Samarkand and De La Vina by adding a pedestrian island, as well as pre-wiring the traffic signal at State and De La Vina for a right turn green arrow in the event the future traffic volumes require this modification to maintain an acceptable LOS.

Circulation Element Policy Implications

The intent of the Project is to implement many of the Circulation Element Policies:

- Policy 2.1 Work to achieve equality of convenience and choice among all modes of transportation.
- Policy 4.2 The City shall work to expand, enhance, and maintain the system
 of bikeways to serve current community needs and to develop increased
 ridership for bicycle transportation and recreation.
- Policy 5.1 The City shall create an integrated pedestrian system within and between City neighborhoods, schools, recreational areas, commercial areas, and places of interest.
- Policy 5.5 The City shall create and foster a pedestrian friendly environment through physical and cultural improvements and amenities.
- Policy 5.6 The City shall make street crossing easier and more accessible to pedestrians.

Environmental Analysis

A significant environmental impact would occur if a project would cause the LOS to drop below LOS C or 0.77. The intent of this Project is to maintain a satisfactory LOS for vehicles at the intersection. While the overall LOS for the intersection remains the same, at LOS B, staff recognizes the right turning movement would experience some delay and drop to LOS C. However, the Project as proposed would not reduce the vehicular LOS below LOS C; therefore further environmental analysis is not required.

BUDGET/FINANCIAL INFORMATION:

Budget And Schedule

The Project for De La Vina and State Street is currently funded for design through the TCRP. Construction dollars will be allocated by the State on a first-come, first serve basis once the Project is ready to go out to bid. Due to the delay in Project approval, design services have exceeded those proposed by MNS Engineering. An additional \$20,000 is required to prepare the Project for final design, in order to retain sufficient funds in the contract for the design of traffic signals on De La Vina at Canon Perdido and Figueroa Street. The complete cost of the Project, including design, construction, and construction management, is currently estimated at \$893,503, with \$670,125 in TCRP funds and \$223,378 local match. Given the time required to produce final bid documents and the timeline anticipated for State of California allocation of construction funding, it is expected that construction will not occur until 2010.

Alternate Use of Funds

The current grant proposal accepted for TCRP funds included improvements at five intersections. If the Project does not move forward, the TCRP funds could be utilized to finish the design and construction of traffic signals/intersection improvements at De La Vina at Figueroa, and De La Vina at Canon Perdido. Should funds remain, staff recommends pursuing design of improvements at Alamar at State Street.

ATTACHMENT(S): 1. State and De La Vina Intersection Reconfiguration Project

Concept Alternatives

2. State and De La Vina Intersection Reconfiguration Project

Decision Matrices


PREPARED BY: Browning Allen/DvH/tm

SUBMITTED BY: Christine F. Andersen, Public Works Director

APPROVED BY: City Administrator's Office

	PROPOSAL ELEMENT	ROPOSAL	PROPOSAL MERITS
	• দ	Free right turn	 State street
	<u> </u>	ane replaced	crossing will be
	<u>•</u>	Fxclusive NB	the comer
	i ŏ	De La Vina	instead of on
	- <u>E</u>	right turn lane	island
	<u>ē</u>	replaced with	 Slower speeds
	ਰ ।	curo extension	to Samarkand
	⊕	Existing island	crosswalk
SAALE SINGER	<u> </u>	SR De La Vina	vield rate
	<u> </u>	ane	DLV turns from
	. 8	80' right turn	3 crosswalks
	8	pocket on	into 1
		State	crosswalk, and
	·	Bike lane to	State turns from
	<u>a</u>	eft of right	2 crosswalks
	₹	turn pocket on	into 1 crosswalk
- Control of the Cont	<u>ボ</u>	State	 Reduces the
DE	20	50' pedestrian	pedestrian
	ັ້ວ	crossing of De	exposure by
1		La Vina	reducing the
The same of the sa			crossing
-			distance along
		3	State crossing
Marie Anna Anna Anna Anna Anna Anna Anna Ann			DLV &
			protected by
enhanterun mary			the pedestrian
			phase of the
			signal
			 Access for
20 Contraction of the Contractio			downstream
			driveways
			because
			oncomina
			vehicle speeds
			are slower
			 The asphalt is
			recaptured to
			landscaping,
			improving
Concept 1. Remove Free-Right Turn			

	PROPOSAL ELEMENTS	PROPOSAL MERITS
	Free right turn	State street
DIM TOTAL	lane replaced	crossing will be
一 一 一 一 一 一 一 一 一 一 一 一 一 一 一 一 一 一 一	Exclusive NB De	the comer
	La Vina right turn	instead of on
	lane replaced	island
Party Change of the Change of	with curb extension	Somer speeds to Samarkand
	Existing island	crosswalk
THE RESERVE OF THE PARTY OF THE	reduced to 40%	should increase
The state of the s		DLV turns from
	Bike lane to left of right furm	3 crosswalks into 2
The state of the s	pocket on State	crosswalks, and
	90' pedestrian	State turns from
のははなっています。	De La Vina	2 crosswalks
	crossing with one	Into 1 crosswalk
and the second s	retuge	Reduces the padestrian
	63	exposure by
		reducing the
The state of the s		crossing
		distance along
		State crossing
		protected by
		the pedestrian
		phase or the
		Access for
		downstream
Damana Eros Disht Turn and Maintain foland		driveways should improve
		because
		vehicle speeds
		are slowerThe asphalt is
Concent 7. Remove Free Right Turn and Maintain Island		
		improving
		sustainability



Evaluation Matrix: Operations Considerations

	SB DLV Pedestrian Crossing	Improve Bike Lane EB State	Vehicle LOS	Samarkand Intersection	Cost Relative to Benefit	NB RT DLV Pedestrian Crossing	Samarkand Pedestrian Crossing	DLV NB Pedestrian Crossing	Landscape Potential	Minimized Parking Loss	Functional Green Space	Total
Unweighted Rating												
Remove Free Right Turn	4	3.5	1.5	4	2	4	2	1	3	1.5	4	30.5
Remove FRT Maintain Island	1	3.5	1.5	3	1	2	1	2.5	4	1.5	3	24
Narrow Free Right Turn	2.5	1.5	4	1.5	4	1	3	2.5	1	3.5	1	25.5
Narrow Free Right Turn (plus)	2.5	1.5	3	1.5	3	3	4	4	2	3.5	2	30
Importance Factor	3	2	2	1	3	1	3	1	3	1	2	
Rating Weighted by Importance												
Remove Free Right Turn	12	7	3	4	6	4	6	1	9	1.5	8	61.5
Remove FRT Maintain Island	3	7	3	3	3	2	3	2.5	12	1.5	6	46
Narrow Free Right Turn	7.5	3	8	1.5	12	1	9	2.5	3	3.5	2	53
Narrow Free Right Turn (plus)	7.5	3	6	1.5	9	3	12	4	6	3.5	4	59.5

Note: Rating definition

4 = most benefit 1 = least benefit

Note: Importance Factor Definition

3 = High Value 2 = Medium Value

1 = Low Value

Evaluation Matrix: Policy Considerations

	Policy 2.1 – Work to achieve equality of convenience and choice among all modes of transportation	Policy 4.2 - Expand, enhance, and maintain the system of bikeways	Policy 5.1 – create an integrated Pedestrianestrian system within and between City neighborhoods, schools, recreational areas, commercial areas, and places of interest.	Policy 5.5 – create and foster a Pedestrianestrian friendly environment through physical and cultural improvements and amenities.	Policy 5.6 - make street crossing easier and more accessible to Pedestrianestrians.	Change in Level of Service for Vehicles	Total
Unweighted Rating	4	0.5	4	4	4	4	40.5
Remove Free Right Turn	3	2.5	3	4	3	1 2	19.5
Remove FRT Maintain Island	1.5	2.5	1.5	2	1.5	4	14.5 13
Reduce Free Right Turn Reduce Free Right Turn (plus)	1.5	2.5 2.5	1.5	3	1.5	3	13
Reduce Free Right Furn (plus)	1.3	2.5	1.3	3	1.5	3	13
Importance Factor	3	2	3	2	3	2	
Importance i actor	3				3		
Rating Weighted by Importance							
Remove Free Right Turn	12	5	12	8	12	2	51
Remove FRT Maintain Island	9	5	9	2	9	4	38
Reduce Free Right Turn	4.5	5	4.5	4	4.5	8	30.5
Reduce Free Right Turn (plus)	4.5	5	4.5	6	4.5	6	30.5

Note: Rating Definition 4 = most benefit

1 = least benefit

Note: Importance Factor Definition 3 = High Value

2 = Medium Value

1 = Low Value